



Learning Channel (Pty) Ltd
3rd Floor, The Mills
66 Carr Street
Newtown
Johannesburg
(011) 639-0179

Website: www.learn.co.za

National Senior Certificate



Grade 12

Mathematics

Paper 2

MEMORANDUM

Other products for Mathematics available from Learning Channel:



$$1.1 \quad M = \left(\frac{-1+3}{2}, \frac{3+(-1)}{2} \right) \checkmark$$

$$M = (1; 1) \checkmark \quad (2)$$

$$1.2 \quad \text{Midpoint FH} = \left(\frac{4+(-2)}{2}, \frac{4+(-2)}{2} \right) \checkmark$$

$$= (1; 1) \checkmark$$

$\therefore$ midpoint FH = midpoint EG

$\therefore$ lines bisect each other. (2)

$$1.3 \quad m_{EG} = \frac{3-(-1)}{-1-3} = \frac{4}{-4} = -1 \checkmark$$

$$m_{FH} = \frac{4-(-2)}{4-(-2)} = \frac{6}{6} = 1 \checkmark$$

$\therefore m_{EG} \times m_{FH} = -1$

$\Rightarrow EG \perp FH \checkmark$

$\therefore$ using 1.2, diagonals of EFGH bisect at $90^\circ \checkmark$

$\therefore$ EFGH is a rhombus.

OR

$$\text{length}_{EH} = \sqrt{(-1-(-2))^2 + (3-(-2))^2}$$

$$= \sqrt{1+25}$$

$$= \sqrt{26} \checkmark$$

$$\text{length}_{EF} = \sqrt{(-1-4)^2 + (3-4)^2}$$

$$= \sqrt{25+1}$$

$$= \sqrt{26} \checkmark$$

$\therefore$ using 1.2, EFGH is a parallelogram (diagonals bisect) $\checkmark$

But EH = EF $\checkmark$

$\therefore$ EFGH is a rhombus. (4)

$$1.4 \quad m_{EG} = -1 \text{ from above } \checkmark$$

$\therefore y = -x + c$ Substitute $(-1; 3)$: $\checkmark$

$$3 = -(-1) + c$$

$$2 = c$$

$\therefore y = -x + 2 \checkmark$ (3)

$$1.5 \quad y = -x + 2 \text{ Let } x = \frac{5}{2}.$$

$$y = -\frac{5}{2} + 2 \checkmark$$

$$y = -\frac{1}{2} \checkmark$$

$\therefore \left(\frac{5}{2}, -\frac{3}{4} \right)$ does not lie on the line. $\checkmark$ (3)

$$1.6 \quad m_{FH} = \frac{4-(-1)}{4-3} = \frac{5}{1} = 5 \checkmark$$

$\therefore \tan \alpha = 5$

$$A = \tan^{-1}(5) \checkmark$$

$$= 78,69^\circ \checkmark \quad (3)$$

$$\begin{aligned}
 1.7 \quad length_{EG} &= \sqrt{(3 - (-1))^2 + (-1 - 3)^2} \\
 &= \sqrt{32} \checkmark \\
 length_{HM} &= \sqrt{(1 - (-2))^2 + (1 - (-2))^2} \\
 &= \sqrt{18} \checkmark \\
 \therefore \text{area } \triangle EGH &= \frac{1}{2} \sqrt{18} \times \sqrt{32} \checkmark \\
 &= 5,05 \text{ units}^2 \checkmark
 \end{aligned} \tag{4}$$

$$\begin{aligned}
 1.8 \quad G &\rightarrow H \text{ back 5 down 1} \\
 \therefore E &\rightarrow P \text{ is the same } \checkmark \\
 \therefore P &(-6; 2) \checkmark \text{ (or equivalent)}
 \end{aligned} \tag{2}$$

$$\begin{aligned}
 2.1 \quad \triangle EDC &\text{ is right angled at C (tangent, radius)} \\
 ED^2 &= EC^2 + DC^2 \checkmark \\
 13^2 &= 12^2 + DC^2 \\
 25 &= DC^2 \\
 5 &= DC \checkmark
 \end{aligned} \tag{2}$$


$$\begin{aligned}
 2.2 \quad DC^2 &= (a - 1)^2 + (2 - (-1))^2 \checkmark \\
 25 &= a^2 - 2a + 1 + 9 \checkmark \\
 0 &= a^2 - 2a - 15 \checkmark \\
 a &= -3; a = 5 \checkmark \\
 \text{By inspection, for this sketch } a &= 5. \checkmark
 \end{aligned} \tag{5}$$

$$\begin{aligned}
 2.3 \quad m_{DC} &= \frac{2 - (-1)}{5 - 1} = \frac{3}{4} \checkmark \\
 m_{\text{tangent}} &= \frac{-4}{3} \checkmark \\
 y &= \frac{-4}{3}x + c \text{ Substitute } (1; -1): \\
 -1 &= \frac{-4}{3}x + c \checkmark \\
 \frac{1}{3} &= c \checkmark \\
 y &= \frac{-4}{3}x + \frac{1}{3}
 \end{aligned} \tag{4}$$

$$\begin{aligned}
 2.4 \quad y\text{-axis is tangent to circle at A.} \\
 \therefore AD &\text{ is horizontal } \therefore A(0; 2) \checkmark\checkmark \text{ (inspection)}
 \end{aligned} \tag{2}$$

$$\begin{aligned}
 2.5 \quad (x - a)^2 + (y - b)^2 &= c^2 \checkmark \\
 \text{Substitute } (1; -1) \text{ and } (0; 2): \\
 (0 - 1)^2 + (2 - (-1))^2 &= c^2 \checkmark\checkmark \\
 10 &= c^2 \checkmark \\
 (x - 1)^2 + (y + 1)^2 &= 10 \checkmark
 \end{aligned} \tag{5}$$

3.1
and
3.2



(10)

3.3 $P(x; y)$

$$\rightarrow P'(-x; -y)$$

$$\rightarrow \text{final image } (-45x; -45y) \checkmark \checkmark$$

(2)

3.4 Linear factor $\frac{4}{5}$

$$\Rightarrow \text{area factor } \frac{16}{25} \checkmark$$

$$\therefore \text{area} = \frac{16}{25}p \text{ units}^2 \checkmark$$

(2)

4.1 $(x \cos \theta - y \sin \theta; x \sin \theta + y \cos \theta) \checkmark$

$$= (6 \cos 60^\circ - 3 \sin 60^\circ; 6 \sin 60^\circ + 3 \cos 60^\circ) \checkmark \checkmark$$

$$= \left(\frac{6 - 3\sqrt{3}}{2}; \frac{3 + 6\sqrt{3}}{2} \right) \checkmark \checkmark$$

OR

$$= \left(3 - \frac{3\sqrt{3}}{2}; 3\sqrt{3} + \frac{3}{2} \right)$$

(5)

4.2 $(6; 3) \rightarrow (3; 6) \rightarrow (3; -6) \checkmark \checkmark$

(2)

5.1 5.1.1 $\tan \theta = \frac{y}{x} = \frac{a}{b} \checkmark$

(1)

$$5.1.2 \quad \cos(-\theta) = \cos \theta = \frac{x}{r} \checkmark \checkmark$$

$$r = \sqrt{a^2 + b^2} \text{ (Pythagoras) } \checkmark$$

$$\therefore \cos(-\theta) = \frac{a}{\sqrt{a^2 + b^2}} \checkmark$$

(4)

5.2 5.2.1 $\cos 53^\circ$

$$= \sin(90^\circ - 53^\circ)$$

$$= \sin 37^\circ \checkmark$$

$$= k \checkmark$$

(2)

5.2.2 $\sin(-74^\circ)$

$$= -\sin 74^\circ$$

$$= -2\sin 37^\circ \cos 37^\circ \checkmark \checkmark$$

$$= -2k \sqrt{1 - k^2} \checkmark$$

(4)

5.3 5.3.1 LHS

$$= \frac{\sin \alpha \sin 2\alpha}{\cos \alpha} + \cos 2\alpha \checkmark$$

$$= \frac{\sin \alpha 2\sin \alpha \cos \alpha}{\cos \alpha} + 1 - 2\sin^2 \alpha \checkmark \checkmark$$

$$= 1 \checkmark$$

$$= \text{RHS}$$

(4)

5.3.2 LHS

$$= \frac{\sin 234^\circ}{\cos 36^\circ} - \frac{\sin (x - 90^\circ) \cos (90^\circ - 2x)}{\sin (x - 360^\circ)}$$

$$= \frac{-\sin 54^\circ}{\cos 36^\circ} - \frac{(-\cos x) \sin 2x}{\sin x} \checkmark \checkmark \checkmark \checkmark$$

$$= \frac{-\sin 54^\circ}{\sin 54^\circ} - \frac{\cos x \cdot 2 \sin x \cos x}{\sin x} \checkmark \checkmark$$

$$= -1 + 2\cos^2 x \checkmark$$

$$= \cos 2x$$

$$= \text{RHS}$$

(8)

$$5.4 \quad 3\cos^2 x + 5\sin x = 3$$

$$3(1 - \sin^2 x) + 5\sin x = 3 \checkmark$$

$$3 - 3\sin^2 x + 5\sin x = 3$$

$$0 = 3\sin^2 x - 5\sin x$$

$$0 = \sin x (3\sin x - 5) \checkmark$$

$$\sin x = 0 \text{ or } \sin x = \frac{5}{3} \checkmark \checkmark$$

$$\therefore x = 0^\circ + n180^\circ \text{ or } x \text{ is undefined } \checkmark \checkmark$$

$$(n \in \mathbb{Z})$$

(6)

$$6.1 \quad \widehat{ACB} = 110^\circ - 50^\circ$$

$$= 60^\circ \checkmark$$

$$\therefore AB^2 = 150^2 + 260^2 - (2 \cdot 150 \cdot 260) \cos 60^\circ \checkmark$$

$$AB^2 = 51\,100 \checkmark$$

$$\therefore AB = 226,05 \checkmark$$

$$AB = 226 \text{ km } \checkmark$$

(5)

$$6.2 \quad 6.2.1 \quad \widehat{CDB} = 180^\circ - (\theta + 30^\circ) \checkmark$$

(1)

$$6.2.2 \quad \text{In } \triangle ABC:$$

$$\tan \theta = \frac{p}{CB}$$

$$CB \tan \theta = p \dots\dots\dots(i) \checkmark$$

$$\text{In } \triangle CBD: \frac{CB}{\sin [180^\circ - (\theta + 30^\circ)]} = \frac{8}{\sin \theta} \checkmark$$

$$\frac{CB}{(\sin \theta + 30^\circ)} = \frac{8}{\sin \theta} \checkmark$$

$$CB = \frac{8(\sin \theta + 30^\circ)}{\sin \theta} \dots\dots\dots(ii) \checkmark$$

Combining (i) and (ii):

$$p = \frac{8 \sin (\theta + 30^\circ)}{\sin \theta} \cdot \tan \theta$$

$$p = \frac{8 \sin (\theta + 30^\circ)}{\sin \theta} \cdot \frac{\sin \theta}{\cos \theta} \checkmark$$

$$p = \frac{8(\sin \theta + 30^\circ)}{\cos \theta} \checkmark$$

(6)

7.1 $\sin 2x = \cos (x - 45^\circ)$

$$\sin 2x = \sin [90^\circ - (x - 45^\circ)]$$

$$\sin 2x = \sin (135^\circ - x) \checkmark$$

$$\therefore 2x = 135^\circ - x + n \cdot 360^\circ \ (n \in \mathbb{Z}) \checkmark$$

$$3x = 135^\circ + n \cdot 360^\circ$$

$$x = 45^\circ + n \cdot 120^\circ \checkmark$$

OR

$$2x = 180^\circ - (135^\circ - x) + n \cdot 360^\circ \ (n \in \mathbb{Z}) \checkmark$$

$$2x = 45^\circ + x + n \cdot 360^\circ$$


$$x = 45^\circ + n \cdot 360^\circ \checkmark$$

$$\therefore \text{for } x \in [-180^\circ; 180^\circ]$$

$$x = 45^\circ; 165^\circ; -75^\circ \checkmark \checkmark \checkmark$$

(8)

7.2



$\checkmark \checkmark \checkmark$ for g $\checkmark \checkmark \checkmark$ for f

(6)

7.3 7.3.1 $g(x) \leq f(x)$ for $[-180^\circ; 90^\circ]$

$$\Rightarrow -180^\circ \leq x \leq -75^\circ \checkmark \checkmark \checkmark$$

(3)

7.3.2 $\frac{f(x)}{g(x)}$ undefined $\Rightarrow g(x) = 0 \checkmark$

$$\therefore x = -45^\circ \text{ only for } [-180^\circ; 90^\circ] \checkmark$$

(2)

8.1 8.1.1 $\bar{x} = 65,27 \checkmark \checkmark \checkmark$

Using stats mode on calculator or manually

(3)

8.1.2 $SD = 8,71 \checkmark \checkmark$

(2)

8.1.3 Upper boundary

$$= 65,27 + 8,71$$

$$= 73,98 \checkmark$$

Lower boundary

$$= 65,27 - 8,71$$

$$= 56,56 \checkmark$$

$\therefore$ reject 50; 45; 80

i.e. 3 bags would be rejected $\checkmark$

(3)

8.2 8.2.1 Ordered list

11 000

12 600

14 200 $Q_1 = 14\,200$

14 500

15 300

Median = 15 350

15 400

16 500

16 800 $Q_3 = 16\,800$

18 600

19 600

 $\therefore$ Minimum = 11 000 ✓

Lower quartile = 14 200 ✓


Median = 15 350 ✓

Upper quartile = 16 800 ✓

Maximum = 19 600 ✓

(5)

8.2.2 Scale in 100s



✓✓ ✓✓

(3)

$$8.2.3 \text{ Maximum per day} = \frac{19\,600}{28} = 700 \text{ patients per day } \checkmark$$

$$\text{Minimum per day} = \frac{11\,000}{28} = 392 \text{ patients per day } \checkmark$$

(2)


9.1

Marks	F	CF
$20 \leq x \leq 29$	4	4
$30 \leq x \leq 39$	12	16
$40 \leq x \leq 49$	30	46
$50 \leq x \leq 59$	82	128
$60 \leq x \leq 69$	55	183
$70 \leq x \leq 79$	35	218
$80 \leq x \leq 89$	24	242
$90 \leq x \leq 100$	3	245

✓✓

(2)

9.2



✓✓ ✓✓

(4)

9.3 Median at $\frac{245 + 1}{2} = 123$

Median approximately 59 ✓✓

(2)

9.4 Data is grouped, so original raw data is lost.

∴ mean or median will be approximate. ✓✓

(2)